

MAX[®]

MARKING SOLUTIONS

FOR LABELS & WIRES



LETATWIN

Bepop



Professional Industrial Labeling Systems

SIGN & LABEL PRINTING & CUTTING MACHINE

Bepop
LABEL PRINTING & CUTTING MACHINES

- พิมพ์ข้อความ บาร์โค้ด รูปภาพและสัญลักษณ์
ได้มากกว่า 1 สี
- ฟรี! สัญลักษณ์พื้นฐานมากกว่า 1,400 แบบ
- สติ๊กเกอร์ทนอุณหภูมิสูงถึง 150 °C
- สีสถิตทนนาน ไม่ซีดจาง ไม่ทิ้งคราบขาว
และไม่ทำลายพื้นผิวเมื่อลอกออก




CPM-100HG5M-MBN
10 cm Wide Label Printer

CPM-200GM-MBN
20 cm Wide Label Printer

SPECIFICATIONS

Product		CPM-100HG5M-MBN	CPM-200GM-MBN
Printing	Printing method	Thermal transfer	
	Print resolution	400 dpi	300 dpi
	Printing speed	25mm / sec. at standard	
	Color printing capability	Multi-Color and Full-Color (CMYK Ribbon)	
	Check the remaining sheet length	✓	
Cutting	Resolution	0.025mm / step	
	Cutting speed	120mm / sec. at maximum	
	Cutting function	Free-Cut (Shapes, Letters, Bordering)	
Printer Specification	Maximum output range	100mm x 2,000mm	200mm x 2,000mm
	Interface	USB : USB2.0 Full Speed, Allowable cable length 2M Lan port : 10BASE-T / 100BASE-TX	
	Working environment	Temperature : 10-35°C Humidity : 35-80% (No dew condensation allowed)	
	Power source	Ac 100-240V 50 / 60Hz 1A	
	Power consumption	150W at maximum, 20W at standby	
	Outer dimensions	330mm x 320mm x 320mm (W) x (D) x (H)	317mm x 425mm x 315mm (W) x (D) x (H)
	Weight	9 kg	15.5 kg

MAKE LABELS, SIGN AND CUT - LETTERING EASILY



CONSUMABLES

CPM-100HG5M-MBN

• Cassette with Ink-Ribbon



SPOT COLOR INK RIBBONS

(Refillable cassette with Ink-Ribbon)
60 meters / roll (1 roll / box)

DESCRIPTION	COLOR
SL-R101RC-UL	Black
SL-R122RC-UL	Superwhite (55meters)
SL-R103RC-UL	Red
SL-R104RC-UL	Blue
SL-R105RC-UL	Dark Blue
SL-R106RC-UL	Dark Green
SL-R107RC-UL	Green
SL-R108RC-UL	Yellow
SL-R112RC-UL	Orange



METALLIC COLOR INK RIBBONS

(Refillable cassette with Ink-Ribbon)
50 meters / roll (1 roll / box)

DESCRIPTION	COLOR
SL-R171RC-UL	Silver (C)
SL-R172RC-UL	Gold (C)
SL-R173RC-UL	M-Red (C)
SL-R174RC-UL	M-Blue (C)



PROCESS COLOR INK RIBBONS

(Refillable cassette with Ink-Ribbon)
60 meters / roll (1 roll / box)

DESCRIPTION	COLOR (CMYK)
SL-R115RC-UL	Cyan
SL-R116RC-UL	Magenta
SL-R117RC-UL	Yellow
SL-R118RC-UL	Black


• Ink-Ribbon



SPOT COLOR INK RIBBONS

(Refillable Ink-Ribbon)
60 meters / roll (1 roll / box)

DESCRIPTION	COLOR
SL-TR101-UL	Black
SL-TR122-UL	Superwhite (55meters)
SL-TR103-UL	Red
SL-TR104-UL	Blue
SL-TR105-UL	Dark Blue
SL-TR106-UL	Dark Green
SL-TR107-UL	Green
SL-TR108-UL	Yellow
SL-TR112-UL	Orange



METALLIC COLOR INK RIBBONS

(Refillable Ink-Ribbon)
50 meters / roll (1 roll / box)

DESCRIPTION	COLOR
SL-TR171-UL	Silver (C)
SL-TR172-UL	Gold (C)
SL-TR173-UL	M-Red (C)
SL-TR174-UL	M-Blue (C)



PROCESS COLOR INK RIBBONS

(Refillable Ink-Ribbon)
60 meters / roll (1 roll / box)

DESCRIPTION	COLOR (CMYK)
SL-TR115-UL	Cyan
SL-TR116-UL	Magenta
SL-TR117-UL	Yellow
SL-TR118-UL	Black

• Tape

STANDARD TAPE ROLLS

15meters/ roll (1 roll / box)

DESCRIPTION	COLOR
SL-S111B-UL	Black
SL-S112B-UL	White
SL-S113B-UL	Red
SL-S114B-UL	Blue
SL-S115B-UL	Yellow
SL-S116B-UL	Green
SL-S117B-UL	Pink
SL-S118B-UL	Orange
SL-S119B-UL	Sky Blue
SL-S120B-UL	Gray
SL-S121B-UL	Lettuce Green
SL-S123B-UL	Cobalt Blue
SL-S124B-UL	Navy Blue
SL-S125B-UL	Amethyst
SL-S126B-UL	Mahogany
SL-S110B-UL	Clear



PREMIUM "EASY-WEEDING" TAPE ROLLS

15 meters / roll (1 roll / box)


DESCRIPTION	COLOR
SL-S110GB-UL	Clear
SL-S111GB-UL	Black
SL-S112GB-UL	White
SL-S113GB-UL	Red
SL-S114GB-UL	Blue
SL-S115GB-UL	Yellow
SL-S116GB-UL	Green
SL-S118GB-UL	Orange
SL-S126GB-UL	Brown
SL-S109GB-UL	Gold
SL-S108GB-UL	Silver



SPECIAL TAPE ROLLS

15meters/ roll (1 roll / box)

DESCRIPTION	COLOR	MATERIAL
SL-S153B-UL	White	PET
SL-S154B-UL	Matt Silver	PET
SL-S163B-UL	Hairline Silver	PET
SL-S164B-UL	Hairline Gold	PET



Refillable Ribbon



Ribbon Refill

* The ribbon can be replace more than 30 time. This result is based solely on internal testing and does not guarantee the same performance for users.

CPM-200GM-MBN



STANDARD TAPE ROLLS

15 meters / roll (1 roll / box)

DESCRIPTION	COLOR
SL-S201NL-UL	Black
SL-S202NL-UL	White
SL-S203NL-UL	Red
SL-S204NL-UL	Blue
SL-S205NL-UL	Yellow
SL-S206NL-UL	Green



SPOT COLOR INK RIBBONS

50 meters / roll (1 roll / box)

DESCRIPTION	COLOR
SL-R201T-UL	Black
SL-R203T-UL	Red
SL-R204T-UL	Blue
SL-R206T-UL	Deep Green
SL-R208T-UL	Yellow
SL-R212T-UL	Orange

Bepop can only use the dedicated ribbon refills.
Refills must be inserted into the Max dedicated cassette.



PROCESS COLOR INK RIBBONS

50 meters / roll (1 roll / box)

DESCRIPTION	COLOR
SL-R215T-UL	Cyan
SL-R216T-UL	Magenta
SL-R217T-UL	Yellow
SL-R218T-UL	Black


Bepop can only use the dedicated ribbon refills.
Refills must be inserted into the Max dedicated cassette.

APPLICATIONS

INDUSTRIAL SIGNS



NETWORK AND ELECTRICAL WIRE MARKING



COSMETIC LABELS



100% Natural,
Vegan & Cruelty free
Made with pure, plant-based
ingredients

Pure
FLOW
Face Cream
100 ml

Ingredient
Hyaluronic acid, ceramides, shea
butter, Vitamin E, retinoids for anti-
aging, and various plant extracts

MAX BEPOP


GOLDEN
HOUR
EYE CREAM
MAX BEPOP

APPLICATIONS

BARCODE AND QR CODE LABEL



QR Code



Maxi Code



PDF417 Code



EAN13



Micro QR



Data Matrix





Micro PDF417 Code



Code 128

NAME PLATE & PRODUCT LABEL



PRINT FULL COLOR PHOTO (CMYK)



TUBE AND TAPE PRINTER FOR ELECTRICAL MARKING

LETATWIN

- สำหรับพิมพ์ข้อความหรือสัญลักษณ์บนปลอกสายไฟท่อหด และเทปสติ๊กเกอร์
- ระบบการตัดปลอกสายไฟแบบ Half Cut อัตโนมัติ ช่วยต่อการใช้งานปลอกสายไฟ
- จอแสดงผลส่องสว่างในที่มืด (Backlit) พร้อมคำสั่ง Print Preview ลดความผิดพลาดในการพิมพ์
- พิมพ์ด้วยความเร็ว 40 มม./วินาที พิมพ์ได้ยาวสูงสุด 100 เมตร/ครั้ง และพิมพ์ซ้ำได้สูงสุดถึง 300 ครั้ง
- ออกแบบ และเลือกสั่งพิมพ์ได้ 3 แบบ คือจากเครื่องโดยตรง ผ่านคอมพิวเตอร์ ด้วยโปรแกรม Letatwin PC Editor หรือผ่านช่องเสียบ USB



LM-550A3/PC

SPECIFICATIONS

Product	LM-550A3 / PC
Dimensions	295 (W) x 293 (D) x 94 (H) mm
Weight	2.3 kg
Printing method	Thermal transfer method (300 dpi)
Display	LCD dot matrix : 64 x 160 Pixel (Backlit)
Printing speed	40 mm / s (Standard) 20 mm / s (Low temperature mode)
Maximum Printing length	Tube : 100 m, Tape : 5 m by multiple copy printing, maximum 30 copies, upto Tube : 100 m, Tape : 7 m
Maximum number of characters to input	5,000 characters per file
Character size	1.3, 2, 3, 4, 6 mm height
Usable tube	Ø1.5 mm ~ 8.0 mm (Vinyl Tubing) [For Grip tube, Ø1.5 ~ 2.0 mm tubes, the dedicated attachment (standard accessory) is required.] Ø2.0 mm ~ 6.5 mm (Heat Shrink Tubing)
Usable tape	Width 5, 9, 12 mm (Max Genuine Tape)
Usable ID Plate	2.5/ 4.1/ 4.6/ 6.3/ 9 mm wide *ID plate attachment only compatible with MAX brand 4.1 mm wide
Tube cutting method	Auto half cut, manual full cut
Internal memory	250,000 characters (Maximum 50 files)
External memory	USB memory
Interface	USB 2.0 full speed
Power supply	DC12 V, 3.0 A Use only specified AC Adapter (100V ~ 240V) included in the package
Power consumption	Max 36 W
Operating environment	10° C to 35° C

OTHER USEFUL FEATURES



Hard Carry Case

Numeric Key




Remove

Insert



Half cut tubing is easily cut by hand



Half cut function

PC REQUIREMENTS For Windows 11 / 10 / 8.1 / 8 / 7 operating systems.

Windows® is a registered trademark of Microsoft Corporation(US) in U.S.A. or other countries.

*The specifications and design of products in this catalog will be subject to change without advance notice of our products due to our continuous efforts to improve quality.

CONSUMABLES & OTHER ITEMS



INK RIBBON CASE	20 PCS. / CTN
LM-RC500	



ECONOMICAL INK RIBBON REFILLS	10 ROLLS / BOX
LM-IR50B (BLACK)	110 m / ROLL

INK RIBBON REFILLS FOR HEAT SHRINK TUBING	10 ROLLS / BOX
LM-IR50BP (BLACK)	110 m / ROLL
LM-IR50W (WHITE)	70 m / ROLL

HALF CUTTER *REPLACEABLE	
LM-HC340	2 PCS. / BOX



ID Plate (w4.1 mm X t1.0 mm)	
LM-ID PLATE4110	White, 20 m / REEL



L Tube (Vinyl (PVC) / Drum roll)	
*Not UL certified	
LM-TU425L2 WHITE	Ø 2.5mm x 250 m / ROLL
LM-TU427L2 WHITE	Ø 2.7 mm x 250 m / ROLL
LM-TU432L2 WHITE	Ø 3.2 mm x 250 m / ROLL
LM-TU434L2 WHITE	Ø 3.4 mm x 250 m / ROLL
LM-TU436L2 WHITE	Ø 3.6 mm x 250 m / ROLL
LM-TU442L2 WHITE	Ø 4.2 mm x 200 m / ROLL
LM-TU452L2 WHITE	Ø 5.2 mm x 135 m / ROLL
LM-TU464L2 WHITE	Ø 6.4 mm x 100 m / ROLL
LM-TU480L2 WHITE	Ø 8.0 mm x 70 m / ROLL

N TUBE (UL224 / E171616 / 105°C / 600V)	
LM-TU332N2 WHITE	Ø 3.2mm x 100 m / ROLL
LM-TU336N2 WHITE	Ø 3.6mm x 100 m / ROLL
LM-TU342N2 WHITE	Ø 4.2mm x 80 m / ROLL
LM-TU352N2 WHITE	Ø 5.2mm x 80 m / ROLL






MARKABLE SLIDE PLATE	
Markable Plastic Plate for Terminal block labeling.	
LM-KM4107	Ø wide 10.7 mm X thickness 0.5 mm X 25 m / ROLL

POLYESTER TAPE CASSETTE	10 PCS. / BOX
LM-TP505W (WHITE)	5 mm (W) X 16 m (L) / PC
LM-TP505Y (YELLOW)	5 mm (W) X 8 m (L) / PC
LM-TP505T (TRANSPARENT)	5 mm (W) X 8 m (L) / PC
LM-TP509W (WHITE)	9 mm (W) X 16 m (L) / PC
LM-TP509Y (YELLOW)	9 mm (W) X 8 m (L) / PC
LM-TP505T (TRANSPARENT)	9 mm (W) X 8 m (L) / PC
LM-TP512W (WHITE)	12 mm (W) X 16 m (L) / PC
LM-TP512Y (YELLOW)	12 mm (W) X 8 m (L) / PC



APPLICATIONS



Vinyl Tubing with Half Cut Function

Heat Shrink Tubing

Polyester Tape Label

MAX®

ติดต่อทดลองสินค้า **ฟรี!** ได้ที่



บริษัท นานตีอินเตอร์เทรด จำกัด
NANDEE INTER-TRADE CO., LTD.

314, 316, 318, 320, 322 ซอยจันทน์ 32 ถนนจันทน์ แขวงทุ่งวัดดอน เขตสาทร กทม. 10120

☎ : 0-2675-8239
LINE : @nandeeintertrade
f : nandeeintertrade
🌐 : www.nandee.co.th
✉ : marketing@nandee.co.th
sales@nandee.co.th